







# WT50R MULTIPURPOSE HANDHELD SEARCHLIGHT

Max **3700** lumens



-  Head- and tail lights separately controlled
-  Large capacity rechargeable Li-ion battery
-  USB Type-C fast charging
-  USB discharging

## HANDS-FREE USE



The standard tripod socket leaves your hands free for the task at hand.



The included shoulder strap makes the flashlight easier for long-time carry.


## ACCURATE BATTERY LEVEL INDICATOR READABLE REAL-TIME BATTERY STATUS


When the light is switched off, single click the tail switch to check the battery status.


- 100% - 80%
- 80% - 60%
- 60% - 40%
- 40% - 20%
- 20% - 0



## LOCKOUT FUNCTION

 **Lock:** When the light is switched off and unlocked, double click the handle switch, the headlight will blink twice to indicate it is locked.

 **Accidental activation:** Under the lockout status, any random clicking or pressing the switches will activate two one-second blinks to indicate that it is under this locked status.

 **Unlock:** When the light is switched off and locked, double click the handle switch, the headlight will blink twice and then activate on the low brightness level.





## POWER BANK FUNCTION

Plug in other USB devices to keep them charged. You may continue using the light while charging a device.





## INCLUDED

Package size: 268×181×76mm



WT50R flashlight



ARB-L45-10400  
rechargeable battery



Charging adapter



USB Type-C  
charging cable



Shoulder strap



Spare O-ring









User manual



Warranty card

# SPECIFICATIONS

ANSI/PLATO FL1	HEADLIGHT					TAIL LIGHT		
	TURBO	HIGH	MED	LOW	STROBE	HIGH	MED	LOW
 OUTPUT	3,200 lumens	1,000 lumens	350 lumens	50 lumens	3,200 lumens	500 lumens	200 lumens	50 lumens
 RUNTIME	2 hours	5 hours 30 minutes	18 hours	112 hours	/	7 hours	25 hours	116 hours
 DISTANCE	425 meters	239 meters	138 meters	48 meters	/	54 meters	31 meters	15 meters
 INTENSITY	45,333 candela	14,305 candela	4,754 candela	582 candela	/	733 candela	238 candela	58 candela
 IMPACT RESISTANCE	1 meter							
 WATERPROOF	IP68, underwater 2meters							

Note: The above specifications are the test results given by Fenix through its laboratory testing using the Fenix ARB-L45-10400 (7.2V/5200mAh) rechargeable Li-ion battery under the temperature of  $21 \pm 3^{\circ}\text{C}$  and humidity of 50% - 80%. The true performance of this product may vary according to different working environments and the actual batteries used.

Size: 7.91" x 4.28" x 2.56" / 200.8 x 108.7 x 65mm.

Weight: 26.17oz / 742 g (including battery).