



- Professional EDC series flashlight with small size and high light.

Small size , easy for everyday carry





JETBEAM®

E10R EDC
650 LM

CNC cutting process/ HA III military grade surface treatment



High intensity aero
aluminium alloy



Built-in micro USB
charging interface



Nicely designed lanyard hole



Low 4 LM
(1*AA)



Mid 45 LM
(1*AA)



High 190 LM
(1*AA)



High 650 LM
(1*14500)

Three brightness levels for different situations and runtime demands.



JETBEAM®

E10R EDC
650 LM



■ **34.8g (excluding battery)** Compatible with 1*AA/1*14500 battery



JETBEAM®

E10R EDC
650 LM

JET-E10R
EDC series

■ Built-in **micro USB** charging interface for convenient and safe usage.











JETBEAM®

E10R EDC
650 LM



IPX-8 water proof (2m under the water).

Specification ▶

FL 1 STANDARD	High (14500)	High (AA)	Medium (AA)	Low (AA)
	650 Lumens	190 Lumens	46 Lumens	4 Lumens
	0.5H	1.1H	9H	100H
	129meters (Beam Distance)			
	4100cd (Max Intensity)			
	1meter (Impact Resistant)			
	IPX-8, (2 meters under water)			
Weight	35.4g(excluding battery)			
Dimension	Head diameter:19.1mm Tail diameter:19mm Length: 97.7mm			



Note:

Stated data has been measured according to the international flashlight testing standards ANSI/NEMA FL1 by using one AA in the laboratory. The data may vary due to different batteries and different environment conditions.